2 0 2 4 C O M M U N I T Y E X P E C T A T I O N S S U R V E Y



RESULTS SUMMARY

•••

. .

WHAT ARE THE NATIONAL RESPONSE STANDARDS (NFPA 1710)

- NFPA 1710 is not a requirement, but it defines the nationally recognized response deployment for Career Fire and Emergency Services Organizations.
 - Time Standards
 - 911 Call answering time (15 seconds 90% of the time)
 - Call processing by a call taker and dispatcher (64 seconds 90% of the time)
 - Turnout/ Reflex Time- The time it takes for a company of firefighters to put on the gear and start driving toward the incident (80 seconds 90% of the time)
 - Travel Time- The drive time to arrive at an incident-
 - First Arriving Crew (240 seconds for the initial arriving unit 90% of the time)
 - All other personnel assigned to the initial incident (480 seconds 90% of the time)

WHAT ARE THE NATIONAL RESPONSE STANDARDS (NFPA 1710)

- NFPA 1710 also defines the nationally recognized response staffing objectives for Career Fire and Emergency Services.
 - Deployment Standards
 - Initial Response for a Residential Structure Fire (Single Family Home less than 2,000 SqFt)
 - 1 Incident Commander (Chief Officer)- Command and Control
 - 1 Apparatus Operator to ensure and Uninterrupted Water Supply
 - **4** Firefighters to flow 300 gallons per minute (GPM) through 2 hose lines
 - 2 Firefighters for each hose line to establish a hydrant connection, control utilities, manage hose, and force entry
 - 2 Firefighters for Search and Rescue
 - 2 Firefighters to setup ground ladders and preform ventilation operations
 - 4 Firefighters for the Initial Rapid Intervention Crew to assist in the case of a firefighter rescue
 - Total of 16 Responders for the initial response (17 if an Aerial Truck is used)


NFPA 1710 DEPLOYMENT STANDARDS CONT.

- Initial Response for an Apartment Fire (Typical 1,200 SqFt units, Garden Style up to 3 stories)
 - 2 Incident Commander and Accountability/ Safety (Chief Officers)- Command and Control
 - 2 Apparatus Operators to ensure and Uninterrupted Minimum Water Supply of 400 Gallons Per Minute
 - 6 Firefighters to flow 3 hose lines
 - 3 Firefighters, 1 for each hose line to establish a hydrant connection, control utilities, manage hose, and force entry
 - 4 Firefighters for 2 Search and Rescue teams
 - 4 Firefighters on 2 teams to setup ground ladders and preform ventilation operations
 - 4 Firefighters for the Initial Rapid Intervention Crew to assist in the case of a firefighter rescue
 - 2 Responders to establish Emergency Medical Care on scene for civilians
 - Total of 27 Responders for the initial response (28 if an Aerial Truck is used)


MCFR 2024 COMMUNITY SURVEY PROCESS

- The entire Fire District was solicited for response to the survey
- A direct mailer with website and scan code was directly sent to every household and business
 - Social media was not used since the target was for constituents and customers of the Fire District
- The questions were limited with the intent to increase participation
- District Demographics
 - Population 20,728
 - 8,619 Housing Units
- Survey confidence <u>90%</u> and reliability margin of error <u>7</u>

IT IS IMPORTANT TO ME THAT THE FIRE DISTRICT PLACES FIRE STATIONS TO MEET THE TRAVEL TIMEFRAMES/DISTANCE OF THE NATIONAL STANDARDS



IT IS IMPORTANT TO ME THAT EMERGENCY RESPONDERS RESPOND TO EMERGENCIES WITHIN THE TIMEFRAMES OF THE NATIONAL STANDARDS




Agree 35%

IT IS IMPORTANT TO ME THAT THE FIRE DISTRICT PURSUES STAFFING TO THE NATIONAL RESPONSE STANDARD


Strongly Agree 52%

IT IS IMPORTANT TO ME THAT THE FIRE DISTRICT IS THE PROVIDER OF THE AMBULANCE SERVICE FOR THE LOCAL AREA ENCOMPASSING THE FIRE DISTRICT




· ·

• • • • • •




• •



٠

•••



• •

THANK YOU FOR PARTICIPATING IN THE 2024 COMMUNITY EXPECTATIONS SURVEY

•••



